SOUTHERN STOVE WORKS

INCORPORATED

TIP TOP

STOVES RANGES HEATERS AND CIRCULATORS . .

CATALOG No. 36

RICHMOND VIRGINIA

TO THE TRADE

It is with considerable pride and pleasure that we present this Catalog No. 36 showing our modern line of TIP TOP Stoves, Ranges and Heaters.

The result of our over-a-half century of experience in stove building is reflected in the many improvements and refinements you will find in TIP TOP Stoves and Ranges.

In addition to the numbers shown in this Catalog, we carry a line of Gas Ranges and Pipe and Pipeless Furnaces. It will be our pleasure to send, upon request, circulars describing these items.

The comparative ease with which TIP TOP products move through the dealer to the consumer, the dealer's ever-increasing repeat business, and our own, bear convincing testimony that real customer satisfaction is built into every TIP TOP product.

Our geographical location enables us to serve you quickly and economically as railroads, boats and truck lines make favorable rates and prompt delivery.

To our customers we express our appreciation for their past patronage, and we now offer to them and to those whom we hope to make our friends, this catalog—a guide to satisfactory stove buying and larger profits.

SOUTHERN STOVE WORKS, Inc.,
E. J. Burke, *Secretary & Treasurer,*
Sixth Street and Dinwiddie Avenue,
Richmond, Virginia.

NO. 1816

TIP TOP MODEL Balanced Range

Six-Gallon Copper Reservoir
Tinned inside

Full Porcelain Enameled Black and White

No. 1816—With High Shelf

No. 1816—With High Closet

TIP TOP MODEL Balanced Cast Ranges

Porcelain Enameled—with Copper Reservoir

The line of TIP TOP MODEL Buffet Cabinet and Square Ranges shown on this and succeeding pages are entirely new and modern. They are made up in eighteen styles, sizes and colors.

Below we give general specifications applying to the entire line of TIP TOP MODEL Ranges, Balanced and Square.

NO. 1816 WITH HIGH SHELF AND COPPER RESERVOIR

All outside, front and side castings, together with all front and side steel parts are in full porcelain enamel. Black and White.

Shipping Weight, 455 lbs.

NO. 1816 WITH HIGH CLOSET AND COPPER RESERVOIR

All outside, front and side castings, together with all front and side steel parts are in full porcelain enamel. Black and White.

Shipping Weight, 480 lbs.

◇ ◇ ◇

Specifications

Main Top: Square Range 24 in. x 34 in.

Main Top: Balanced Range 24 in. x 40½ in.

Pouch Door: 11 in. x 3½ in.

Height of Stove: 31½ in.

Oven: 18 in. x 18 in. x 12 in.

Oven slide non-tilting.

Fire Box (Coal): 17 in. x 7 in. x 8 in.

Flue Space 3 in.

Fire Box (Wood) 21½ in. x 7½ in. x 8 in.

Range rests on legs.

Left End Lining same as Fire Back Lining.

Front and Rear Keys not interchangeable.

Grate Bars are interchangeable.

Floor Space: 31½ in. x 18 in.

Clean Out in front.

Oven Plates removable without dismounting.

Ash Pan has cast-iron front—no dust.

Radio-dial chromium heat indicator.

Chromium Oven Door Handle.

Chromium Ash Door Handle.

Pouch Door has cold spiral handle.

Sliding Damper.

Oven Door Spring balanced with compression spring on back of range.

Oven Door steel catch at top.

French top.

Three Anchor Plates.

Six standard Covers.

Water Fronts can be supplied as an extra.

Shipping weight with High Shelf and Reservoir, 455 lbs.

Shipping weight with High Closet and Reservoir, 480 lbs.



No. 1807

TIP TOP MODEL Square Range

Full Enameled Black and White

No. 1807—With High Closet

No. 1807—With High Shelf

TIP TOP MODEL Square Cast Ranges

Porcelain Enameled

These two Square Black and White Full Porcelain Enameled Ranges are exactly like the balanced type except the compartment containing reservoir is omitted.

GENERAL CONSTRUCTION: All castings are smooth surfaced, made of the best gray pig iron. Has full flush front, all bolts being concealed. Extra large flues, no clogging with soft coal.

FIREBOX: Large firebox is equipped with interchangeable Fireback and Long End Lining, heavy-duty Duplex grates.

TOP: Three standard loose key plates, six eight-inch covers.

The entire top is extra heavily reinforced, and all bolts are concealed.

Tops on these full enameled ranges are ground and buffed to a mirror finish.

OVEN: Extra large flues surrounding oven assure uniform heat at all points, making baking perfect.

Oven is full eighteen inch and finished with heat resisting bright aluminum.

THERMOMETER: Radio-dial style, chromium finish.

WATER FRONT: Can be supplied as an extra.

ASH PAN: Is large and has a cast-iron front. No ash dust when shaking grates.

✧ ✧ ✧

NO. 1807 WITH HIGH CLOSET

All outside, front and side castings, together with all front and side steel parts are in full porcelain enamel. Black and White.

NO. 1807 WITH HIGH SHELF

Enameled parts same as above.

✧ ✧ ✧

Specifications

Size of cooking top . . . . . 24 in. x 34 in.

Height of cooking top . . . . . 31½ in.

Size of firebox (coal) . . . . . 17 in. x 8 in. x 7 in.

Size of firebox (wood) . . 21½ in. x 8 in. x 7 in.

Size of oven . . . . . 18 in. x 18 in. x 12 in.

Pipe collar . . . . . 7 in.

Shipping weight with High Shelf, 415 lbs.

Shipping weight with High Closet, 425 lbs.



No. 1814—With High Closet

No. 1814

TIP TOP MODEL Balanced Range

Full Enameled

Ivory and Mother of Pearl Green

Copper Reservoir

No. 1812—Semi-Enameled with High Shelf. Plain Main Top. Can also be furnished with High Closet.

No. 1814—With High Shelf

No. 1812—Semi-Enameled with High Shelf

TIP TOP MODEL Balanced Cast Ranges

Porcelain Enameled—with Copper Reservoir

The TIP TOP MODEL Enameled Buffet Cabinet Ranges shown on this sheet are ultra modern, made to our own specifications by one of the foremost pattern makers. They symbolize the greatest advancement in performance and beauty of streamline design.

GENERAL CONSTRUCTION: All castings are smooth surfaced, made of the best gray pig iron. Has full flush front, all bolts being concealed. Extra large flues, no clogging with soft coal.

FIREBOX: Large firebox is equipped with interchangeable Fireback and Long End Lining, heavy-duty Duplex grates.

TOP: Three standard loose key plates, six eight-inch covers.

The entire top is extra heavily reinforced, and all bolts are concealed.

Tops on full enameled ranges are ground and buffed to a mirror finish.

OVEN: Extra large flues surrounding oven assure uniform heat at all points, making baking perfect. Full eighteen-inch oven and finished with heat-resisting bright aluminum.

RESERVOIR: These ranges are equipped with a six-gallon capacity heavy all-copper reservoir, tinned on inside. Swinging faucet is an extra.

THERMOMETER: Radio-dial style, chromium finish.

WATER FRONT: Can be supplied as an extra.

ASH PAN: Is large and has a cast-iron front. No ash dust when shaking grates.

NO. 1814 WITH HIGH CLOSET

All outside, front and side castings, together with all front and side steel parts are in full porcelain enamel.

Colors: Rich Ivory and Mother of Pearl Green.

NO. 1814 WITH HIGH SHELF

All parts mentioned above are enameled.

NO. 1812 WITH HIGH SHELF

Porcelain semi-enameled. The following parts enameled:

Back Guard
Table Top
Splasher
Long Skirt
Ash Door
Oven Door
Compartment Door
Front Legs

Plain Main Top

Colors: Rich Ivory and Mother of Pearl Green.

✧ ✧ ✧

Specifications

Size of cooking top . . . . . 24 in. x 40½ in.
Height of cooking top . . . . . 31½ in.
Size of firebox (coal) . . . . . 17 in. x 8 in. x 7 in.
Size of firebox (wood) . . 21½ in. x 8 in. x 7 in.
Size of oven . . . . . 18 in. x 18 in. x 12 in.
Pipe collar . . . . . 7 in.
Shipping weight with High Shelf, 455 lbs.
Shipping weight with High Closet, 480 lbs.

NO. 1812 WITH HIGH CLOSET

Porcelain Semi-Enameled

Following parts are enameled:

Back Guard
Closet Doors and Panels
Splasher
Long Skirt
Front Legs
Division Plate
Ash Door
Oven Door
Compartment Door

Plain Main Top

Colors: Ivory and Mother of Pearl Green.

No. 1810

TIP TOP MODEL

Balanced Range

Semi-Enameled

Green and Ivory

Copper Reservoir

No. 1810—High Closet

No. 1810 — With High Shelf

TIP TOP MODEL Balanced Cast Ranges

Semi-Porcelain Enameled—with Copper Reservoir

The TIP TOP MODEL Semi-Enameled Buffet Cabinet Ranges shown on this sheet are ultra modern, made to our own specifications by one of the foremost pattern makers. They symbolize the greatest advancement in performance and beauty of streamline design.

GENERAL CONSTRUCTION: All castings are smooth surfaced, made of the best gray pig iron. Has full flush front, all bolts being concealed. Extra large flues, no clogging with soft coal.

FIREBOX: Large firebox is equipped with interchangeable Fireback and Long End Lining, heavy-duty Duplex grates.

TOP: Three standard loose key plates, six eight-inch covers.

The entire top is extra heavily reinforced, and all bolts are concealed.

Tops on semi-enameled ranges are ground and buffed to a mirror finish.

OVEN: Extra large flues surrounding oven assure uniform heat at all points, making baking perfect. Full eighteen-inch oven and finished with heat-resisting bright aluminum.

RESERVOIR: These ranges are equipped with a six-gallon capacity heavy all-copper reservoir, tinned on inside. Swinging faucet is an extra.

THERMOMETER: Radio-dial style, chromium finish.

WATER FRONT: Can be supplied as an extra.

ASH PAN: Is large and has a cast-iron front. No ash dust when shaking grates.

NO. 1810 WITH HIGH CLOSET

Porcelain Semi-Enameled

Following parts are enameled:

- Back Guard
- Closet Doors and Panels
- Splasher
- Main Front
- Long Skirt
- Front Legs
- Division Plate
- Ash Door
- Oven Door
- Compartment Door
- Polished Main Top

NO. 1810 WITH HIGH SHELF

Porcelain semi-enameled. The following parts are enameled:

- Back Guard
- Table Top
- Splasher
- Main Front
- Long Skirt
- Front Legs
- Ash Door
- Oven Door
- Compartment Door
- Polished Main Top

Colors: Green and Ivory.

◇ ◇ ◇

Specifications

Size of cooking top. . . . . 24 in. x 40½ in.
Height of cooking top. . . . . 31½ in.
Size of firebox (coal) . . . . . 17 in. x 8 in. x 7 in.
Size of firebox (wood) . . 21½ in. x 8 in. x 7 in.
Size of oven. . . . . 18 in. x 18 in. x 12 in.
Pipe collar. . . . . 7 in.
Shipping weight with High Shelf, 455 lbs.
Shipping weight with High Closet, 480 lbs.

Colors: Green and Ivory with Polished Top.



No. 1805—With High Closet

No. 1805

TIP TOP MODEL Square Range

Full Enameled

Ivory and Mother of Pearl Green

No. 1803 — Semi-Enameled (Closet Doors, Closet Panels, Back Guard, Ash Door, Splasher, Oven Door, Long Skirt, Front Legs enameled, balance plain). Plain Main Top. Can also be furnished with High Shelf.

No. 1805—Wih High Shelf

No. 1803—Semi-Enameled with High Closet

TIP TOP MODEL Square Cast Ranges

The TIP TOP MODEL Square Ranges shown on this sheet are strictly new and modern. The pleasing streamline design is the latest creation of the pattern-maker's art.

They are quick and perfect bakers.

GENERAL CONSTRUCTION: All castings are smooth surfaced, made of the best gray pig iron. Has full flush front, all bolts being concealed. Extra large flues, no clogging with soft coal.

FIREBOX: Large firebox is equipped with interchangeable Fireback and Long End Lining, heavy-duty Duplex grates.

TOP: Three standard loose key plates, six eight-inch covers.

The entire top is extra heavily reinforced, and all bolts are concealed.

Tops on full enameled ranges are ground and buffed to a mirror finish.

OVEN: Extra large flues surrounding oven assure uniform heat at all points, making baking perfect.

Full eighteen-inch oven and finished with heat-resisting bright aluminum.

THERMOMETER: Radio-dial style, chromium finish.

WATER FRONT: Can be supplied as an extra.

ASH PAN: Is large and has a cast-iron front. No ash dust when shaking grates.

NO. 1805 SQUARE RANGE WITH HIGH CLOSET

All outside, front and side castings, together with all front and side steel parts are in full porcelain enamel.

Colors: Rich Ivory and Mother of Pearl Green.

NO. 1805 SQUARE RANGE WITH HIGH SHELF

Enameled parts same.

NO. 1803 SQUARE RANGE WITH HIGH CLOSET

Semi-enameled. The following parts enameled:

Closet Panels
Back Guard
Splasher
Closet Doors
Ash Door
Oven Door
Long Skirt
Front Legs

Plain Main Top.

Colors: Rich Ivory and Mother of Pearl Green.

◇ ◇ ◇

Specifications

Size of cooking top . . . . . 24 in. x 34 in.
Height of cooking top . . . . . 31½ in.
Size of firebox (coal) . . . . . 17 in. x 8 in. x 7 in.
Size of firebox (wood) . . 21½ in. x 8 in. x 7 in.
Size of oven . . . . . 18 in. x 18 in. x 12 in.
Pipe collar . . . . . 7 in.
Shipping weight with High Shelf, 415 lbs.
Shipping weight with High Closet, 425 lbs.

NO. 1803 SQUARE RANGE WITH HIGH SHELF

Semi-enameled. The following parts are enameled:

Back Guard
Table Top
Splasher
Long Skirt
Front Legs
Ash Door
Oven Door

Plain Main Top

Colors: Ivory and Mother of Pearl Green.



No. 1809—High Closet

No. 1809

TIP TOP MODEL

Square Range

Semi-Enameled

Green and Ivory

No. 1809 — With High Shelf

TIP TOP MODEL Square Cast Ranges

Semi-Porcelain Enameled

The TIP TOP MODEL Square Ranges shown on this sheet are strictly new and modern. The pleasing streamline design is the latest creation of the pattern-maker's art.

They are quick and perfect bakers.

GENERAL CONSTRUCTION: All castings are smooth surfaced, made of the best gray pig iron. Has full flush front, all bolts being concealed. Extra large flues, no clogging with soft coal.

FIREBOX: Large firebox is equipped with interchangeable Fireback and Long End Lining, heavy-duty Duplex grates.

TOP: Three standard loose key plates, six eight-inch covers.

The entire top is extra heavily reinforced, and all bolts are concealed.

Tops on semi-enameled ranges are ground and buffed to a mirror finish.

OVEN: Extra large flues surrounding oven assure uniform heat at all points, making baking perfect.

Full eighteen-inch oven and finished with heat-resisting bright aluminum.

THERMOMETER: Radio-dial style, chromium finish.

WATER FRONT: Can be supplied as an extra.

ASH PAN: Is large and has a cast-iron front. No ash dust when shaking grates.

NO. 1809 SQUARE RANGE WITH HIGH CLOSET

Semi-enameled. The following parts enameled:

- Closet Panels
- Back Guard
- Splasher
- Closet Doors
- Ash Door
- Oven Door
- Main Front
- Long Skirt
- Front Legs
- Polished Main Top.

Colors: Green and Ivory.

NO. 1809 SQUARE RANGE WITH HIGH SHELF

Semi-enameled. The following parts are enameled:

- Back Guard
- Table Top
- Splasher
- Main Front
- Long Skirt
- Front Legs
- Ash Door
- Oven Door
- Polished Main Top

◇ ◇ ◇

Specifications

Size cooking top with end shelf, 24 in. x 38½ in.
Height of cooking top . . . . . 31½ in.
Size of firebox (coal) . . . . . 17 in. x 8 in. x 7 in.
Size of firebox (wood) . . 21½ in. x 8 in. x 7 in.
Size of oven . . . . . 18 in. x 18 in. x 12 in.
Pipe collar . . . . . 7 in.
Shipping weight with High Shelf, 415 lbs.
Shipping weight with High Closet, 425 lbs.

Colors: Green and Ivory with Polished Top.

No. 1808—With High Shelf

No. 1808

TIP TOP MODEL Balanced Range

Copper Reservoir

Plain Finish and Ivory

All three styles

No. 1808—With High Closet

No. 1808—Range only

TIP TOP MODEL Balanced Cast Ranges

Plain Finish—with Copper Reservoir

The TIP TOP MODEL Buffet Cabinet Ranges shown on this sheet are ultra modern, made to our own specifications by one of the foremost pattern makers. They symbolize the greatest advancement in performance and beauty of streamline design.

GENERAL CONSTRUCTION: All castings are smooth surfaced, made of the best gray pig iron. Has full flush front, all bolts being concealed. Extra large flues, no clogging with soft coal.

FIREBOX: Large firebox is equipped with interchangeable Fireback and Long End Lining, heavy-duty Duplex grates.

TOP: Three standard loose key plates, six eight-inch covers.

The entire top is extra heavily reinforced, and all bolts are concealed.

OVEN: Extra large flues surrounding oven assure uniform heat at all points, making baking perfect.

Full eighteen-inch oven and is finished with heat-resisting bright aluminum.

RESERVOIR: These ranges are equipped with a six-gallon capacity heavy all-copper reservoir, tinned on inside. Swinging faucet is an extra.

THERMOMETER: Radio-dial style, chromium finish.

WATER FRONT: Can be supplied as an extra.

ASH PAN: Is large and has a cast-iron front. No ash dust when shaking grates.

NO. 1808 BALANCED RANGE

With High Shelf and Copper Reservoir

All cast parts plain finish. Range Door Panels, Back Guard and Table Top Ivory Porcelain Enameled.

NO. 1808 BALANCED RANGE

With High Closet and Copper Reservoir

All cast parts plain finish. Closet Door Panels, Range Door Panels and Back Guard Ivory Porcelain Enameled.

NO. 1808 BALANCED RANGE

Door Panels are Ivory Enameled.

◇ ◇ ◇

Specifications

Size of cooking top.....24 in. x 40½ in.
Height of cooking top.....31½ in.
Size of firebox (coal).....17 in. x 8 in. x 7 in.
Size of firebox (wood)..21½ in. x 8 in. x 7 in.
Size of oven.....18 in. x 18 in. x 12 in.
Pipe collar.....7 in.
Shipping weight with High Shelf, 455 lbs.
Shipping weight with High Closet, 480 lbs.
Shipping weight, Range only, 405 lbs.

No. 1800—With High Closet

No. 1800

TIP TOP MODEL Square Range

Plain Finish and Ivory

No. 1800—With High Shelf

No. 1800—Range only

TIP TOP MODEL Square Cast Ranges

Plain Finish

The TIP TOP MODEL Square Ranges shown on this sheet are special values. Read general features given on back of page one.

GENERAL CONSTRUCTION: All castings are smooth surfaced, made of the best gray pig iron. Has full flush front, all bolts being concealed. Extra large flues, no clogging with soft coal.

FIREBOX: Large firebox is equipped with interchangeable Fireback and Long End Lining, heavy-duty Duplex grates.

TOP: Three standard loose key plates, six eight-inch covers.

The entire top is extra heavily reinforced, and all bolts are concealed.

OVEN: Extra large flues surrounding oven assure uniform heat at all points, making baking perfect.

Full eighteen-inch oven and is finished with heat-resisting bright aluminum.

THERMOMETER: Radio-dial style, chromium finish.

WATER FRONT: Can be supplied as an extra.

ASH PAN: Is large and has a cast-iron front. No ash dust when shaking grates.

NO. 1800 SQUARE WITH HIGH CLOSET

All castings plain finish. Range Door Panels, Closet Door Panels and Back Guard are Ivory Porcelain Enameled.

NO. 1800 SQUARE WITH HIGH SHELF

All castings plain finish. Range Door Panels, Table Top and Back Guard Ivory Porcelain Enameled.

NO. 1800 SQUARE RANGE

All castings plain finish. Range Door Panels Ivory Porcelain Enameled.

◇ ◇ ◇

Specifications

Size of cooking top. . . . . 24 in. x 34 in.
Height of cooking top. . . . . 31½ in.
Size of firebox (coal) . . . . . 17 in. x 8 in. x 7 in.
Size of firebox (wood) . . 21½ in. x 8 in. x 7 in.
Size of oven. . . . . 18 in. x 18 in. x 12 in.
Pipe collar. . . . . 7 in.
Shipping weight with High Shelf, 415 lbs.
Shipping weight with High Closet, 425 lbs.
Shipping weight, Range only, 375 lbs.



No. 8-18—With High Closet

NO. 8-18

TIP TOP VALUE

Full Enameled

Ivory and Green



No. 8-18—Plain finish and Ivory with High Closet

TIP TOP VALUE Cast Ranges

Enameled and Plain Finishes

The TIP TOP VALUE is a high-class range, built heavy, and is a splendid baker.

GENERAL CONSTRUCTION: All castings are smooth surface with line decoration. Nickel parts are mirror finished and lift off. Mounted with bolts. Heavy and very durable.

FIREBOX: Roomy firebox is equipped with double service duplex grates and ventilated linings.

TOP: Regular range top, six eight-inch standard covers.

Entire top on enameled ranges ground and buffed to a mirror finish.

OVEN: Is uniformly heated and bakes perfectly.

RESERVOIR: Large copper contact reservoir, tinned inside.

THERMOMETER: Dependable heat indicator.

WATER FRONT: Can be supplied as an extra.

ASH PAN: Substantial large ash pan.

NO. 8-18

Full Enameled

Square With High Closet

All outside, front and side castings, except bottom, together with all front steel parts are in full porcelain enamel. Rich Ivory and Green Blending. Can be furnished with Reservoir.

NO. 8-18

Square With High Closet

Plain Finish—Nickeled. Can be furnished with reservoir.

◇ ◇ ◇

Specifications

Size of cooking top (including shelf)
Square . . . . . 28½ in. x 41 in.

Size of cooking top—with Reservoir . . . . . 28½ in. x 46½ in.

Size of firebox (coal) . . . . . 19½ in. x 7½ in.

Size of oven. . . . . 19½ in. x 17½ in. x 11½ in.

Pipe collar. . . . . 7 in.

Shipping weight, Square, 455 lbs.

Shipping weight, with Reservoir, 525 lbs.



No. 816 TIP TOP GEM CAST RANGE

Semi-Enameled Finish

Enameled Trimmed High Closet

Ivory and Green

See specifications on reverse side.

No. 816 TIP TOP GEM CAST RANGE

Plain Finish

Range is plain finish. The High Closet is Enameled trimmed.

TIP TOP GEM CAST RANGE

NO. 816

Semi-Enameled Finish

With Enameled Trimmed High Closet Ivory and Green

The TIP TOP GEM is a high grade sixteen-inch oven range. It is heavy and durable, priced to meet competition. Smooth castings. Duplex grates. Heavy ventilated linings. Dependable Thermometer. Five eight-inch covers, one five-inch. Center perforated.

Enameled Parts on Range: Oven Door, Fire Door, Ash Door, Long Skirting, Front Legs. Rich green.

Enameled Parts on Closet: Closet Doors, Closet Door Frames, Splasher—Ivory and Green.

NO. 816 PLAIN FINISH

Range is plain finish. High Closet enameled trimmed.

Specifications

Size of cooking top with shelf	23 in. x 38 in.
Size of fire box	15 in. x 6½ in. x 8½ in.
Size of oven	16 in. x 15¾ in. x 10½ in.
Pipe collar	6 in.
Shipping weight	320 lbs.

No. 68-18

TIP TOP BEAUTY Square Steel Range

Plain Finish and Ivory and Nickel

No. 68-18—With High Closet



No. 68-18—With H.C. and Res.



No. 68-18
TIP TOP
PERFECT
with H.C.

TIP TOP Beauty and TIP TOP Perfect Steel Ranges

These two steel ranges are built of the best iron and steel; they differ only in that the TIP TOP BEAUTY is mounted on a cast-iron base and legs.

GENERAL CONSTRUCTION: The bodies are built of rust-resisting Wellsville copper-bearing steel, electrically welded.

FIREBOX: Equipped with heavy ventilated cast lining and Duplex grates.

TOP: Regular range top, six eight-inch covers.

OVEN: Electrically welded, sagless oven, uniformly heated.

RESERVOIR: Large copper, tinned inside. Galvanized reservoir can be furnished.

WATER FRONT: Can be supplied as an extra.

ASH PAN: Large ash pan.

NO. 68-18 TIP TOP BEAUTY SQUARE

With High Closet

Plain Finish, Blue Steel, Mirror Nickel—Closet Door Panels Porcelain Ivory Enamel.

NO. 68-18—TIP TOP BEAUTY

With High Closet and Copper Reservoir

Plain Finish, Blue Steel, Mirror Nickel—Closet Door Panels Porcelain Ivory Enamel.

NO. 68-18 TIP TOP PERFECT SQUARE

With High Closet

Plain Finish, Blue Steel, Mirror Nickel—Closet Door Panels Porcelain Ivory Enamel.

Can be furnished with Reservoir.

◇ ◇ ◇

Specifications

Size of cooking top with shelf . . . 28 in. x 41 in.

Size of Top and Reservoir . . . . . 28 in. x 47 in.

Size of firebox . . . . . 20 in. x 8½ in.

Size of oven . . . . . 18 in. x 20 in. x 12 in.

Pipe collar . . . . . 7 in.

Shipping weight, Square, 375 lbs.

Shipping weight, Reservoir, 400 lbs.

Tip Top Baker on Legs

TIP TOP BAKER COOK STOVES

For Wood Only

A large and well-built stove. A spacious square oven, large pit, a shaking basket grate, large flues and cut long center makes this a satisfactory and popular stove for wood.

Number	Shipping Weight Pounds	Size of Oven Inches	Size of Top with Shelf Inches	Length of Fire Box Inches
7-15-B	160	14¾x14½	20¼x29¾	15
8-15-B	170	14¾x14½	21¾x30½	15
8-17-B	185	16¾x16½	21¾x31½	17
8-19-B	225	18¾x18½	23¾x33½	19

SIZE OF PIPE COLLAR: 6 inches.

Can also be furnished for coal—all sizes.

TIP TOP SUCCESS

For Wood Only

For an inexpensive yet efficient wood stove the Tip Top Success is recommended. It cooks and bakes perfectly.

No.	Shipping Weight	Size of Oven	Size of Top with Shelf	Length of Fire Box	Size of Pipe Collar
7	150 lbs.	14½x14x9½ in.	19½x29¼ in.	17½ in.	6 in.
8	165 lbs.	14½x14x9½ in.	21½x29¼ in.	17½ in.	6 in.

Tip Top Success

Tip Top Congress

TIP TOP CONGRESS

For Coal and Wood

The very latest in a high-grade, moderately priced, square-oven cook stove. In construction this stove has a large pouch feed, duplex grates and a low hearth with sliding cover, revealing a large, easily accessible ash pit. Supplied with or without reservoir on No. 8-18.

No.	Height Inches	Shipping Weight Pounds	Size of Oven Inches	Size of Top with Shelf Inches	Length of Fire Box Inches Wood	Length of Fire Box Inches Coal	Size of Pipe Collar Inches
8-16	29	235	16x16	27 x23¼	18	16	6
8-18	30	270	18x18	36½x25½	20	18	7

TIP TOP CIRCULATOR

A boiler plate steel inner unit with Vitrified brick lining. Heavy grates. Economical and durable.

Special Features

Joints welded. Dome cemented. Gas-tight . . . dust-proof. Illuminated fuel-door with smokeless screen. Hot-Blast Draft Tube saves ⅓ fuel. Vitrified clay lining banishes costly repairs. Straight Sides 33⅓% more efficient. Check Draft—added control. Humidifier—accessible, ample. Remove two cotter pins to replace grate bars. Ash pit dust-proof, pan of ample capacity. Rigid Angle-Iron unbreakable steel base.

TIP TOP CIRCULATOR

Two-Tone Walnut Porcelain Enameled

With Black Base. Two Sizes

The TIP TOP CIRCULATOR is built of boiler plate steel and lined with vitrified fire-clay linings. There is no cast-iron firepot to crack or burn out. Equipped with Hot Blast Controls. The fire slumbers while you sleep. A simple adjustment of the damper in the morning gives you a roaring fire as it keeps fire all night. Made in two sizes:

SPECIFICATIONS

	No. B-2-3 2 to 3 Rooms	No. B-4-5 4 to 5 Rooms
Height (over all)	40¼ in.	44½ in.
Top Width	23¼ in.	25¾ in.
Top Depth	17½ in.	19½ in.
Feed Door	12½x8¼ in.	12½x8¼ in.
Ash Door	8¼x7½ in.	8¾x7½ in.
Fire Pot (inside brick)	(R'd) 11 in.	(Oval) 10¼x17 in.
Fire Pot Depth (top of brick to grate surface)	14 in.	13 in.
Fire Pot Depth (under door)	9 in.	9 in.
Vitrified Brick Sections	6	8
Humidifier		
Shipping weight	255 lbs.	345 lbs

TIP TOP CIRCULATOR

WITH HOT BLAST TUBE

Cast Iron Unit

This new line of beautiful modern streamline circulators embodies the latest features:

- Extra Heavy Ribbed Cast Iron Fire Pots.
- Cast Iron Humidifier.
- Tight fitting doors.
- Duplex Grates (easily removed).
- Hot Blast Tube.
- Mica reinforced with perforated metal.
- Sagless hinges.
- Bronze Handles.
- All Cast Iron front, top and base.

WITH MAGAZINE

Can be furnished with Self-feeding magazine for burning hard coal, making a splendid self-feeding heater.

TIP TOP CIRCULATOR

Two-Tone Walnut Porcelain Enameled.

Black Enameled Base and Grill Top.

Two Sizes.

SPECIFICATIONS

	No. 117		No. 119	
Height (over all)	42½	in.	44½	in.
Width	23	in.	25	in.
Depth	17	in.	18	in.
Fire Door	12¼x8	in.	14¼x8¾	in.
Ash Door	12¼x6¾	in.	14¼x6¾	in.
Fire Pot	16x10x6½	in.	18x10x7½	in.
Depth of Ash Pit	7	in.	7	in.
Pipe Collar	7	in.	7	in.
Shipping Weight	285	lbs.	330	lbs.
Magazine	10⅛x5x14	in.	11x5x15	in.

TIP TOP HOT BLAST

"Makes the Coal Pile Last"

The 200 Series Tip Top Hot Blast is really a cast-iron stove in a heavy polished steel body.

The Hot Blast Tube burns the gases, thereby saving coal.

Has a front feed door, large ash pan, round reversible pipe collar, anti-clinker draw-center grate.

Keeps fire all night. Cast-iron linings.

The Tip Top Hot Blast is made in the following sizes: All have oval bodies, except Nos. 012 and 212, which are round.

No.	Size of Body	Pipe Collar	Height to Pipe Collar	Shipping Weight
012 Low	No front door	5 in.	29½ in.	90 lbs.
212	12x12 in.	5 in.	34 in.	100 lbs.
214	14x12 in.	6 in.	35½ in.	120 lbs.
216	16x14 in.	6 in.	38 in.	145 lbs.
218	18x16 in.	6 in.	40½ in.	180 lbs.

2360

TIP TOP HOT BLAST

The 300 Series Tip Top Hot Blast is round and is lined with vitrified clay linings.

Has front feed door, large ash pan, round reversible pipe collar, anti-clinker draw-center grate. Hot blast tube.

Keeps fire all night.

No.	Size of Body	Height Under Urn	Pipe Collar	Shipping Weight
3141 Low	12 in.	28½ in.	6 in.	90 lbs.
314	12 in.	35¾ in.	6 in.	120 lbs.
316	14 in.	38¼ in.	6 in.	150 lbs.
319	17 in.	43¼ in.	7 in.	205 lbs.



TIP TOP ETNA

For Coal

The Tip Top Etna is built entirely free from carving along straight, modern lines. Has a generous amount of mirror finished nickel trimmings.

The body is of extra-heavy-gauge polished rust-resisting steel.

Ash pit is roomy and contains a large ash pan. Draw center grate, round reversible pipe collar and dustless shaker door.

No.	Shipping Weight	Diameter of Body	Size of Pipe Collar
210	85 lbs.	10 in.	5 in.
212	105 lbs.	12 in.	6 in.
214	130 lbs.	14 in.	6 in.
217	185 lbs.	17 in.	7 in.

NICKELED PARTS: Urn, Swing Top, Top Ring, Bottom Ring, Ash-Pit Dampers and Handles.

TIP TOP RICHMOND

For Hard or Soft Coal

The Tip Top Richmond (open fireplace type) heater is smooth design, decorated with mirror finished nickel trimmings. Has two removable doors. Large deep fire chamber, dumping grate, controlled from outside, heavy fire brick linings and cast iron deflector. Nickeled Swing Top, Name Plate and Foot Rails.

No.	Shipping Weight	Height	Fire Chamber Width	Fire Chamber Depth	Size of Pipe Collar
212	150 lbs.	33 in.	12 in.	10 in.	6 in.
214	165 lbs.	35 in.	14 in.	11 in.	6 in.
216	210 lbs.	37 in.	16 in.	12 in.	6 in.





TIP TOP BRAVO

For Coal

A well-made and durable heater, cheap as to price only. Some features are: shaking and dumping grate, hinge feed-door with damper, large ash pit, boiler hole and cover on top. Bolts joining cylinders on outside. Smooth finish. Legs securely bolted to main bottom.

No.	Shipping Weight	Diameter of Fire Pot	Height	Size of Pipe Collar
8	55 lbs.	10 in.	26½ in.	4 in.
9	65 lbs.	11 in.	28½ in.	5 in.
10	80 lbs.	12 in.	30½ in.	6 in.
11	100 lbs.	13 in.	33 in.	6 in.

Tip Top Vulcan

For Hard Coal, Soft Coal or Coke

A first-class durable heater in every respect. Extra-heavy cylinders and improved shaking and dumping grate. Hinged feed-door, with damper. Large ash pit. Bolts joining top and bottom cylinders are on outside and not exposed to fire.

No.	Shipping Weight	Diameter of Fire Pot	Height	Size of Pipe Collar
14	105 lbs.	12½ in.	30 in.	5 in.
16	155 lbs.	15 in.	33 in.	5½ in.
18	212 lbs.	17 in.	36 in.	6 in.

Top Steel Drum can be furnished.

TIP TOP TIDEWATER

For Hard or Soft Coal — Without Drum

A very heavy, and powerful heater. Especially adapted for heating large warerooms, schools, factories, stores, hotels, railroad offices, etc. Top has lift cover. Heavy shaking and dumping grate; large ash pit. Smoke collar on top. Bolts joining top and bottom cylinders are on outside, and not exposed to fire. Covered poke hole.

No.	Shipping Weight	Height of Stove	Diameter of Fire Pot	Size of Pipe Collar
22	155 lbs.	40 in.	14 in.	6 in.
24	210 lbs.	45 in.	16 in.	6 in.
26	270 lbs.	50 in.	20 in.	7 in.

Top Steel Drum can be furnished.

HOT WATER HEATERS

TIP TOP TANK HEATER No. 112

A good substantial Tank Heater, Jacket thoroughly tested. Will heat a domestic boiler and keep it hot with very little fuel.

No.	Shipping Weight	Diameter of Fire Pot	Size of Top	Size of Pipe Collar	Height
112	130 lbs.	10 in.	20x14 in.	6 in.	25 in.

Round Reversible Pipe Collar.

TIP TOP LAUNDRY

This substantial Laundry Heater is built of the best materials by skilled workmen. The design is smooth and constructed to heat eight irons. It has two 8-inch holes on top, a large pouch feed-door, an ample ash box and a shaking draw-center grate. The legs are securely bolted to the bottom. Round reversible pipe collar.

No.	Shipping Weight	Diameter of Fire Pot	Size of Top	Size of Pipe Collar	Height
12	102 lbs.	11 in.	20x14 in.	6 in.	25 in.

TIP TOP TANK HEATER

A powerful all cast-iron jacket water heater, strongly built and thoroughly tested. A tank of water can be heated to the boiling point and kept there with a little fuel. Large ash box and nickel screw damper controls. Draw-center shaking grate.

No.	Shipping Weight	Diameter of Fire Pot	Grate Surface	Height	Size of Top
888	165 lbs.	9¾ in.	7½ in.	25½ in.	21x16 in.

TIP TOP PEER

Made in three (3) sizes only



Down Draft discharges pre-heated oxygen directly into combustion chamber, improving combustion so that few ashes remain.

Heavy cast-iron Elbow attached with (5) bolts through cast-iron plate inside.

Nickeled Swing Top and Foot Rails, all sizes, extra. See price list.

No.	Shipping Weight	Size of Body	Top Wood Opening	Height Less Urn
120	71 lbs.	18x18 x14 in.	8x11 in.	28 in.
122	86 lbs.	21x21½x15 in.	10x14 in.	33 in.
124	101 lbs.	24x24 x18 in.	13x16 in.	37 in.

AIR-TIGHT WOOD HEATERS

Cast Top and Bottom

The three air-tight heaters shown are made of strong grey cast iron and copper bearing steel.

Every joint is made as tight as it is possible to fit castings to steel.

All have round reversible pipe collars. Large section of main top swings open to admit block wood.

TIP TOP WINNER

Air-tight Heater — For Wood



Large cast-iron Front Door with Precision Draft Control and Nickeled Lever Handle with Malleable latch.

Heavy Door Frame with wide flange fitting closely under door, attached to body with twelve (12) bolts.

Inside cast-iron Down Draft.

No.	Shipping Weight	Size of Body	Top Wood Opening	Height Less Urn
118	65 lbs.	16x16 x12 in.	7x 9 in.	26 in.
120	75 lbs.	18x18 x14 in.	8x11 in.	28 in.
122	90 lbs.	21x21½x15 in.	10x14 in.	33 in.
124	110 lbs.	24x24 x18 in.	13x16 in.	37 in.

TIP TOP FLASH

Air-tight Heater — For Wood

Close fitting cast-iron Damper Frame with Precision Draft Register, insuring perfect control of fire, attached to main body of heater with six (6) stout bolts.

Inside cast-iron Down Draft serves as hot-blast damper.

No.	Shipping Weight	Size of Body	Top Wood Opening	Height Less Urn
112	60 lbs.	16x16 x12 in.	7x 9 in.	26 in.
120	70 lbs.	18x18 x14 in.	8x11 in.	28 in.
122	85 lbs.	21x21½x15 in.	10x14 in.	33 in.
124	100 lbs.	24x24 x18 in.	13x16 in.	37 in.

ALL HEATERS SHIPPED CRATED



No. 18 No. 21 No. 24

TIP TOP PLANET

No. 27 (not shown)

A Blue-Steel Air-tight Heater, Lined All the Way to Top with Extra-Heavy Sheet Iron

DOWN DRAFT — HEATS QUICKLY

The Tip Top Planet is made of Wellsville copper-bearing rust-resisting blue polished sheets, reinforced with No. 24 U. S. standard gauge steel lining. Lining can easily be replaced by means of new slip-lock construction. The following parts are made of cast iron: draft elbow, top ring, flat cover, swing top, down-draft damper, extra-large inside draft plate, back collar and feet. A small extra charge for cast-iron back collars is made.

No.	Shipping Weight	Dimensions Length	Dimensions Width	Wood Opening	Size of Pipe Collar
18	45 lbs.	18 in.	12½ in.	10 in.	5 in.
21	50 lbs.	21 in.	13¼ in.	10 in.	6 in.
24	60 lbs.	24 in.	16 in.	12 in.	6 in.
27	75 lbs.	27¼ in.	21 in.	12 in.	6 in.

All Tip Top Planet Heaters shipped with collars on top unless otherwise specified. Nickel foot rails extra and are never shipped unless specified.



TIP TOP SUN

Air-tight Heater — For Wood

Made throughout of No. 27 U. S. Standard Gauge Sheet Iron, this heater supplies the demand for a low-priced, high-grade, air-tight stove with a down draft. Four heavy Cast-Iron Legs, Cast-Iron Elbow supporting front down draft, Nickeled Cast-Iron Damper held firmly in position by Spring Damper Knob, and Nickeled Urn. Absolutely air-tight, all joints being double-seamed. Lining increases durability. Safe, Efficient, Durable.

No.	Shipping Weight	Size of Body	Height Under Urn	Pipe Collar
18	26 lbs.	17¾x12⅝x15 in.	22½ in.	5 in.
21	31 lbs.	20¾x13½x19 in.	26½ in.	6 in.
24	37 lbs.	23⅛x16½x20¾ in.	28¼ in.	6 in.

Wood opening 10 inches on all sizes.



No. 18 No. 21 No. 24

IMPROVED STAR

Sheet-Iron Air-tights

Now equipped with a nickel-plated screw draft and embodying all the special features which have for years given this heater unsurpassed popularity. The cover and main top are stamped out of best sheet iron. All joints are securely double seamed, making an apparently light heater strong enough to stand roughest usage. Best grade No. 27 U. S. standard gauge sheet iron used throughout. Beautifully carved heavy cast-iron feet (4) make heaters set firmly on floor.

Number	Shipping Weight Pounds	Dimensions Length Inches	Dimensions Width Inches	Height Inches	Size of Pipe Collar
18 Star, unlined	15	18½	12½	14½	5 in.
18 Star, lined	16	18½	12½	14½	5 in.
21 Star, lined	20	20½	13½	18½	6 in.
24 Star, lined	26	23	16½	21	6 in.

Top collars always shipped unless back collars are specified. Furnished with cast-iron nickel-plated screw draft as shown in cut.

TIP TOP BOX

All Cast-Iron Wood Heater

The Tip Top Box Heaters are smooth design. Swing top.

No.	Shipping Weight	Covers	Length Wood	Collar
120	80 lbs.	1-7 in.	18 in.	6 in.
123	95 lbs.	1-7 in.	21 in.	6 in.
126	115 lbs.	2-7 in.	24 in.	6 in.
130	140 lbs.	2-8 in.	28 in.	6 in.
134	165 lbs.	2-8 in.	32 in.	6 in.